

BUCK OFF

Designed to meet the needs of rodeo bucking bulls

GUARANTEED ANALYSIS

Crude Protein	Not less than	12.25 %
Crude Fat	Not less than	2.75 %
Crude Fiber	Not more than	10.50 %
Calcium	Not less than	0.06 %
Calcium	Not more than	1.35 %
Phosphorus	Not less than	0.40 %
Sodium	Not less than	1.00 %
Sodium	Not more than	1.50 %
Potassium	Not less than	0.50 %
Vitamin A	Not less than	13,000 IU/lb

INGREDIENTS

Steam Flaked Corn, Beet Pulp Shreds, Rolled Oats, Rolled Barley, Soybean Meal, Canola Meal, Molasses, Calcium Carbonate, Sodium Bicarbonate, Yeast Culture, Calcium Carbonate, Dicalcium Phosphate, Salt, Zinc Sulfate, Manganese Sulfate, Zinc Proteinate, Vitamin E Supplement, Iron Sulfate, Copper Sulfate, Magnesium Oxide, Mineral Oil, Copper Proteinate, Vitamin A Supplement, Sodium Selenite, Cobalt Carbonate, Vitamin D-3 Supplement, Calcium Iodate, Biotin

INSTRUCTIONS FOR FEEDING

Feed Buck Off at the rate of 0.5% to 1% of body weight per day depending upon desired energy consumption.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)

SIMPLE BEEF FEED

A high calorie feed for increased weight gain.

GUARANTEED ANALYSIS

Crude Protein	Not less than	8.00%
Crude Fat	Not less than	4.00%
Crude Fiber	Not more than	3.00%

INGREDIENTS

Ground Corn, Hominy, Beet Pulp Shreds, Artificial Flavoring.

INSTRUCTIONS FOR FEEDING

Feed 0.75 to 1.00 pound per 100 pounds of body weight. Contact your Cache Commodities feed representative for more complete directions on optimizing the growth of your cattle.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)

ECONOMY BEEF FINISHER

To be fed to finishing cattle as a source of energy.

GUARANTEED ANALYSIS

Crude Protein	Not less than	9.50%
Crude Fat	Not less than	4.00%
Crude Fiber	Not more than	7.00%

INGREDIENTS

Steamed Flaked Barley, Steamed Flaked Corn, Beet Pulp, Molasses, Wheat Middlings, Animal Fat, Sodium Bicarbonate.

INSTRUCTIONS FOR FEEDING

Feed 1.1 to 1.5 pounds per 100 pounds of body weight

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)

BULL DEVELOPER # 1226**MEDICATED**

For increased rate of weight gain.

ACTIVE DRUG INGREDIENT

Monensin.....26 g/ton...(13 mg/lb)

GUARANTEED ANALYSIS

Crude Protein	Not less than	13.00%
Crude Fat	Not less than	4.00%
Crude Fiber	Not more than	6.00%
Calcium	Not less than	0.44%
Phosphorous	Not less than	0.44%

INGREDIENTS

Steam Flaked Corn, Dehulled Soybean Meal, Steam Flaked Barley, Rolled Oats, Beet Pulp Pellets, Mechanical Extracted Canola Meal, Molasses, Dried Distillers Grain, Sodium Bicarbonate, Salt, Calcium Carbonate, Fat Products, Sodium Sesquicarbonate, Dicalcium Phosphate, Magnesium Oxide, Zinc Sulfate, Mineral Oil, Yeast Culture, Sulfur, dl-alpha-Tocopheryl (source of Vitamin E), Manganese Sulfate, Copper Sulfate, Vitamin A Acetate, D-Activated Animal Sterol (source of Vitamin D3) Calcium Iodate, Cobalt Carbonate, Sodium Selenite, Yeast Culture, Artificial Flavoring.

INSTRUCTIONS FOR FEEDING

Start from 5 to 12 months of age. Feed 1.35 to 2.0 lbs. per 100 lbs. of body weight. Always monitor consumption closely. Contact your Cache Commodities feed representative for more complete directions on optimizing the growth of your cattle.

CAUTION

Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Consumption by unapproved species may result in toxic reactions.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)

HALTER POWER FINISHER

MEDICATED

Designed to be fed to finishing show cattle for increased rate of weight gain in pasture cattle (slaughter, stocker, feeder cattle, and replacement heifer)

ACTIVE DRUG INGREDIENT

Monensin.....30 g/ton

GUARANTEED ANALYSIS

Crude Protein	Not less than	12.00%
Crude Fat	Not less than	5.00%
Crude Fiber	Not more than	7.00%
Calcium	Not less than	0.30%
Calcium	Not more than	0.80%
Phosphorous	Not less than	0.25%
Sodium	Not less than	0.15%
Sodium	Not more than	0.80%
Potassium	Not less than	0.70%
Vitamin A	Not less than	5,000 IU/lb

INGREDIENTS

Steam Flaked Corn, Beet Pulp Shreds, Steam Flaked Barley, Dehulled Soybean Meal, Cottonseed, Rolled Oats, Wheat Middlings, Molasses, Mechanical Extracted Soybean Meal, Hominy, Wheat, Calcium Carbonate, Fat Products, Sodium Bicarbonate, Salt, Mono-Dicalcium Phosphate, Magnesium Oxide, Zinc Sulfate, Mineral Oil, Yeast Culture, Palm Fatty Acid Distillate, dl-alpha Tocopheryl (source of Vitamin E), Manganese Sulfate, Copper Sulfate, Vitamin A Acetate, D-Activated Animal Sterol (source of Vitamin D3), Plant Charcoal, Calcium Iodate, Cobalt Carbonate, Flax, Dried Kelp, Sodium Selenite, Biotin, Artificial Flavoring.

INSTRUCTIONS FOR FEEDING

Start from 9 to 12 months of age. Feed 1.35 to 2.0 lbs per 100 pounds body weight. Contact your Cache Commodities representative for complete directions. For finishing show cattle. To provide not less than 50 nor more than 200 mg per head per day in not less than 1 pound of feed. During the first 5 days of feeding, cattle should receive no more than 100 mg per day contained in not less than 1 lb. of feed. Not to exceed 18.7 lbs per head per day.

CAUTION

Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Consumption by unapproved species may result in toxic reactions.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)

HALTER POWER GROW/FRESH

MEDICATED

Medicated for increased rate of weight gain

ACTIVE DRUG INGREDIENT

Monensin.....20g/ton...(10 mg/lb)

GUARANTEED ANALYSIS

Crude Protein	Not less than	13.00 %
Equivalent Crude Protein from NPN	Not more than	1.00 %
Crude Fat	Not less than	2.50 %
Crude Fiber	Not more than	9.00 %
Calcium	Not less than	0.30 %
Calcium	Not more than	0.90 %
Phosphorous	Not less than	0.30 %
Sodium	Not less than	0.15 %
Sodium	Not more than	0.60 %
Potassium	Not less than	0.65 %
Vitamin A	Not less than	750 IU/lb

INGREDIENTS

Steam Flaked Corn, Beet Pulp Shreds, Dehulled Soybean Meal, Mechanical Extracted Soybean Meal, Hominy, Molasses, Soybean Hulls, Steam Flaked Barley, Beet Pulp Pellets, Wheat Middlings, Cottonseed Hulls, Condensed Corn Fermentation Solubles, Vegetable Fat, Yeast Culture, Sodium Bicarbonate, Calcium Carbonate, Salt, Artificial Flavoring, Mono-Dicalcium Phosphate, Magnesium Oxide, Mineral Oil, Vitamin A Acetate, Iron Sulfate, Magnesium Sulfate, Thiamin Mononitrate, Zinc Sulfate, D-Activated Animal Sterol (source of Vitamin D3), Zinc Proteinates, Copper Sulfate, Palm Fatty Acid Distillate, Plant Charcoal, Sodium Alumino Silicate, dl-alpha Tocopheryl (source of Vitamin E), Sodium Selenite, Biotin, Glutamic Acid, Kelp, Calcium Iodate, Cobalt Sulfate.

INSTRUCTIONS FOR FEEDING

Each pound of Grow/Fresh contains 10 mg. of Monensin. Feed enough to provide 1 mg. per 2 pounds of body weight (i.e. provide 10 pounds of feed to a 200 pound animal). Never feed more than 300 mg of Monensin to any animal per day (30 pounds maximum of Grow/Fresh).

CAUTION

Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Consumption by unapproved species may result in toxic reactions.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs. (22.7 kg)

HALTER POWER FRESH

MEDICATED

For increased rate of weight gain.

ACTIVE DRUG INGREDIENT

Monensin.....30 g/ton...(15 mg/lb)

GUARANTEED ANALYSIS

Crude Protein	Not less than	15.00%
Equivalent Crude Protein from NPN	Not more than	1.00%
Crude Fat	Not less than	4.00%
Crude Fiber	Not more than	12.50%
Calcium	Not more than	0.40%
Calcium	Not less than	1.00%
Phosphorus	Not less than	0.30%
Sodium	Not less than	0.20%
Sodium	Not more than	0.60%
Potassium	Not less than	0.70%
Vitamin A	Not less than	850 IU/lb

INGREDIENTS

Steam Flaked Corn, Beet Pulp Shreds, Steam Flaked Oats, Dehulled Soybean Meal, Mechanical Extracted Soybean Meal, Hominy, Soybean Hulls, Molasses, Cottonseed, Wheat Middlings, Cottonseed Hulls, Condensed Corn Fermentation Solubles, Vegetable Fat, Yeast Culture, Sodium Bicarbonate, Magnesium Limestone, Calcium Carbonate, Salt, Artificial Flavoring, Mono-Dicalcium Phosphate, Magnesium Oxide, Mineral Oil, Vitamin A Acetate, Iron Sulfate, Magnesium Sulfate, Thiamine Mononitrate, Zinc Sulfate, D-Activated Animal Sterol (source of Vitamin D3), Zinc Proteinates, Copper Sulfate, Calcium Salts of Free Fatty Acids, Plant Charcoal, Sodium Alumino Silicate, dl-alpha Tocopheryl (source of Vitamin E), Sodium Selenite, Biotin, Kelp, Calcium Iodate, Cobalt Sulfate.

INSTRUCTIONS FOR FEEDING

Each pound contains 15 mg Monensin. Feed enough to provide 1 mg per 2 pounds body weight (i.e. provide 6.66 pounds to a 200 pound animal). Maximum rate is 300 mg Monensin per head per day (maximum 20 pounds of feed).

CAUTION

Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Consumption by unapproved species may result in toxic reactions.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 40 lbs (18.16 kg)

HALTER POWER CREEP**MEDICATED**

For increased rate of weight gain.

ACTIVE DRUG INGREDIENT

Monensin.....40 g/ton...(20 mg/lb)

GUARANTEED ANALYSIS

Crude Protein	Not less than	15.00%
Crude Fat	Not less than	3.00%
Crude Fiber	Not more than	12.00%
Calcium	Not more than	1.25%
Calcium	Not less than	0.50%
Phosphorus	Not less than	0.42%
Sodium	Not less than	0.25%
Sodium	Not more than	0.75%
Potassium	Not less than	0.16 ppm/lb

INGREDIENTS

Steam Flaked Corn, Steam Flaked Oats, Soybean Hulls, Beet Pulp Shreds, Dehulled Soybean Meal, Mechanical Extracted Soybean Meal, Hominy, Molasses, Cottonseed, Wheat Middlings, Cottonseed Hulls, Condensed Corn Fermentation Solubles, Vegetable Fat, Yeast Culture, Sodium Bicarbonate, Magnesium Limestone, Calcium Carbonate, Salt, Artificial Flavoring, Mono-Dicalcium Phosphate, Magnesium Oxide, Mineral Oil, Vitamin A Acetate, Iron Sulfate, Magnesium Sulfate, Thiamine Mononitrate, Zinc Sulfate, D-Activated Animal Sterol (source of Vitamin D3), Zinc Proteinates, Copper Sulfate, Calcium Salts of Free Fatty Acids, Plant Charcoal, Sodium Aluminosilicate, dl-alpha Tocopheryl (source of Vitamin E), Sodium Selenite, Biotin, Kelp, Calcium Iodate, Cobalt Sulfate.

INSTRUCTIONS FOR FEEDING

Each pound contains 20 mg Monensin. Feed enough to provide 1 mg per 2 pounds body weight (i.e. provide 2.22 pounds to a 200 pound animal). Maximum rate is 300 mg Monensin per head per day (maximum 15 pounds of feed).

CAUTION

Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Consumption by unapproved species may result in toxic reactions.

**Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490**

Net Weight 50 lbs (22.7 kg)

DAIRY HEALTH CALF STARTER

MEDICATED

Medicated for control of coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii*.

ACTIVE DRUG INGREDIENT

Lasalocid.....48 g/ton....(24 mg/lb)

Designed to be fed to newborn calves for increased rate of weight gain.

GUARANTEED ANALYSIS

Crude Protein	Not less than	25.00%
Crude Fat	Not less than	1.50%
Crude Fiber	Not more than	5.00%
Acid Detergent Fiber	Not more than	4.5%
Calcium	Not less than	0.90%
Calcium	Not more than	1.50%
Phosphorous	Not less than	1.00%
Selenium	Not less than	0.31 ppm
Vitamin A	Not less than	9,000 IU/lb

INGREDIENTS

Steam Flaked Corn, Steam Flaked Barley, Soybean Meal, Condensed Corn Fermentation Solubles, Molasses, Yeast Culture, Calcium Carbonate, Vegetable Fat, Salt, Wheat Middlings, Artificial Flavoring, Mineral Oil, Vitamin A Acetate, Iron Sulfate, Magnesium Sulfate, Thiamine Mononitrate, Zinc Sulfate, D-Activated Animal Sterol (Source of Vitamin D3), Zinc Proteinate, Copper Sulfate, dl-alpha Tocopheryl (source of Vitamin E), Glutamic Acid, Sodium Selenite, Calcium Iodate, Cobalt Sulfate.

INSTRUCTIONS FOR FEEDING

Each pound of Dairy Health Calf Starter contains 24 mg of Lasalocid. Hand feed enough to provide 1 mg per 2 pounds of body weight (i.e. provide 4.2 lbs to a 200-pound animal). Maximum rate is 350 mg per day.

CAUTION

The safety of Lasalocid in unapproved species has not been established. Do not allow horses or other equines, dogs or cats, access to Lasalocid, as ingestion may be fatal.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)

SNAKE RIVER COMPLETE CALF

MEDICATED

Medicated for control of coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii*.

ACTIVE DRUG INGREDIENT

Monensin..... 50 g/ton...(25 mg/lb)

Designed to be fed to newborn calves for increased rate of weight gain.

GUARANTEED ANALYSIS

Crude Protein	Not less than	18.00%
Crude Fat	Not less than	2.00%
Crude Fiber	Not more than	2.00%
Calcium	Not less than	0.70%
Calcium	Not more than	0.65%
Phosphorous	Not less than	0.40%
Selenium	Not less than	0.325 ppm
Vitamin A	Not less than	8,000 IU/lb

INGREDIENTS

Steamed Flaked Corn, Steamed Flaked Barley, Dehulled Soybean Meal, Wheat Middlings, Molasses, Calcium Carbonate, Dicalcium Phosphate, Salt, Sodium Bicarbonate, Magnesium Oxide, Potassium, Magnesium Sulfate, Potassium Chloride, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Sulfur, Zinc Proteinate, Copper Proteinate, Manganese Proteinate, Iron Sulfate, dl-alpha Tocopheryl (source of Vitamin E), Vitamin A Supplement, Sodium Selenite, D-Activated Animal Sterol (source of Vitamin D3), Calcium Iodate, and Cobalt Carbonate.

INSTRUCTIONS FOR FEEDING

Feed at a rate of 1.75 to 3.0 pounds per 100 pounds body weight from newborn to two weeks post weaning (i.e. 3 lbs provides 75 mg of Monensin) to provide not less than 50 nor more than 200 mg Monensin per head per day in not less than 1 lb. of feed. During the first 5 days of feeding, cattle should receive no more than 100 mg per day contained in not less than 1 lb. of feed.

CAUTION

Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated cattle feed is safe for use in cattle only. Consumption by unapproved species may result in toxic reactions.

Cache Commodities
860 West 24th Street
Ogden, Utah 84401
(801) 392-2490

Net Weight 50 lbs (22.7 kg)